

CONVERTER LIST

Package	CONVERTER	Function
DIP	CNV-DIP-35LV020	32-pin DIP socket. Supports GTK ARF35LV020.
DIP	CNV-DIP48-78E354	48-pin DIP socket. Supports WINBOND W78E354.
DIP	CNV-DIP-EP22V10	32-pin DIP socket. Supports ALTERA EP22V10; INTEL 85C22V10,iPLD22V10.
DIP	CNV-DIP-EPC	32-pin DIP socket. Supports ALTERA EPC1,
DIP	CNV-DIP-EPM5032	32-pin DIP socket. Supports ALTERA EPM5032; CYPRESS CY7C344.
DIP	CNV-DIP-W78E378E	40-pin DIP socket. Supports WINBOND W78E378E.
PLCC	CNV-PL44-COP8SAX	44-pin PLCC socket. Supports NATIONAL COP8SAC744V.
PLCC	CNV-PL44-COP8X9	44-pin PLCC socket. Supports NATIONAL COP8CBR9,COP8CDR9.
PLCC	CNV-PL44-COPL8RB	44-pin PLCC socket. Supports NATIONAL COP87L88RBV.
PLCC	CNV-PL44-COPL8X	44-pin PLCC socket. Supports NATIONAL COP87L80,COP87L88.
PLCC	CNV-PL52-TSC51I2	52-pin PLCC socket. Supports TEMIC TSC8751I2,TSC8751C3.
PLCC	CNV-PL68-51RD2	68-pin PLCC socket. Supports TEMIC T89C51RD2.

PLCC	CNV-PL68-89C738	68-pin PLCC socket. Supports PHILIPS 89C738.
PLCC	CNV-PL68-COP8X9	68-pin PLCC socket. Supports NATIONAL COP8SXX9/CXX9.
PLCC	CNV-PL68-COPL88	68-pin PLCC socket. Supports NATIONAL COP87L88-GW.
PLCC	CNV-PLCC-16C64	44-pin PLCC socket. Supports MICROCHIP PIC16C64/65,PIC16C74.
PLCC	CNV-PLCC-16L8-4	28-pin PLCC socket. Supports AMD 16L8-4,16R4-4,16R6-4,16R8-4.
PLCC	CNV-PLCC-17C42	44-pin PLCC socket. Supports MICROCHIP PIC17C42/43/44.
PLCC	CNV-PLCC-20L8-4	28-pin PLCC socket. Supports DIP-24 to PLCC-28. AMD 20L8-4,20R4-4,20R8-4.
PLCC	CNV-PLCC-2816	32-pin PLCC socket. Supports 2816.
PLCC	CNV-PLCC-35LV020	32-pin PLCC socket. Supports GTK ARF35LV020.
PLCC	CNV-PLCC-7140	44-pin PLCC socket. Supports ICT PA7140.
PLCC	CNV-PLCC-77C82	44-pin PLCC socket. Supports TI TMS7742/C82.
PLCC	CNV-PLCC-77P25	44-pin PLCC socket. Supports NEC uPD77C25L.
PLCC	CNV-PLCC-78E354	68-pin PLCC socket. Supports WINBOND W78E354.

PLCC	CNV-PLCC-81608	44-pin PLCC socket. Supports HYNIX HMS81604T,HMS81608T.
PLCC	CNV-PLCC-87251A1	44-pin PLCC socket. Supports TEMIC TSC87251A1.
PLCC	CNV-PLCC-87C550	44-pin PLCC socket. Supports PHILIPS 87C550.
PLCC	CNV-PLCC-90S8535	44-pin PLCC socket. Supports ATMEL AT90S8535,AT90S4434.
PLCC	CNV-PLCC-AT17XXA	20-pin PLCC socket. Supports ATMEL AT17C128A.
PLCC	CNV-PLCC-ATV2500	44-pin PLCC socket. Supports ATMEL ATV2500H/L/LV/LVL/B/BL/BQ/BQL; PHILIPS PLV2500.
PLCC	CNV-PLCC-COP800	44-pin PLCC socket. Supports NATIONAL COP8780C,COP888CLMH/CGMH,COP880CMH.
PLCC	CNV-PLCC-DIP28	28-pin PLCC socket. Supports pin to pin,DIP-28 to PLCC-28.
PLCC	CNV-PLCC-EP1M32A	32-pin PLCC socket. Supports all 32-pin PLCC EPROM from 1MB up, 28F020,28F010,28F512,28F256,29F010,29F040.
PLCC	CNV-PLCC-EP1M44	44-pin PLCC socket. Supports all 44-pin PLCC EPROM from 1MB up. The pins not connected are: 1,13,23,33.
PLCC	CNV-PLCC-EP1M44A	44-pin PLCC socket. Supports ATMEL AT27LV1026.
PLCC	CNV-PLCC-EP512	32-pin PLCC socket. Supports all 32-pin PLCC EPROM ranging from 2764 to 27512. The pins not connected are: 1,12,17,26.

PLCC	CNV-PLCC-EP513	32-pin PLCC socket. Supports XICOR X28C513.
PLCC	CNV-PLCC-EP610	28-pin PLCC socket. Supports ALTERA EP600/610/630,EP600I/610I,85C060; AMD PLACE610H; INTEL 5C060,85C060,iPLD610; TI EP610/630.
PLCC	CNV-PLCC-EP910	44-pin PLCC socket. Supports ALTERA EP910I,85C090,EP900/910/910A/900I; INTEL 5C090,85C090,iPLD910; TI EP910.
PLCC	CNV-PLCC-EPC1213	20-pin PLCC socket. Supports ALTERA EPC1,EPC1064,EPC1064V,EPC1213,EPC1441.
PLCC	CNV-PLCC-EPC2	20-pin PLCC socket. Supports ALTERA EPC2LC20.
PLCC	CNV-PLCC-EPM5016	20-pin PLCC socket. Supports ALTERA EPM5016.
PLCC	CNV-PLCC-EPM5032	28-pin PLCC socket. Supports ALTERA EPM5032; CYPRESS CY7C344.
PLCC	CNV-PLCC-MPU48	44-pin PLCC socket. Supports INTEL 8748H,8749H,87C42,5AC324; ALTERA EP324.
PLCC	CNV-PLCC-MPU51B	44-pin PLCC socket. Supports MPU 8751/89C51 series,SST 89E564. (except PHILIPS 87C550; SIEMENS C513A-2E; INTEL 87L51FA/FB/FC/52/54/58)
PLCC	CNV-PLCC-MTV112	44-pin PLCC socket. Supports MYSON MTV112.

PLCC	CNV-PLCC-PA7024J	28-pin PLCC socket. Supports ICT PA7024J.(PLCC-J)
PLCC	CNV-PLCC-PA7128	28-pin PLCC socket. Supports ICT PA7128.
PLCC	CNV-PLCC-PAL20	20-pin PLCC socket. Supports 20-pin PLCC PAL.
PLCC	CNV-PLCC-PAL28A	28-pin PLCC socket. Supports 28-pin PLCC PAL. The pins not connected are: 1,8,15,22.
PLCC	CNV-PLCC-PAL28B	28-pin PLCC socket. Supports 28-pin PLCC PAL. CYPRESS PLDC20G10/B/C; MMI PAL20L8A/A-2/B,PAL20R4A/A-2/B,PAL20R6A/A-2/B, PAL20R8A/A-2/B,PAL20RA10; TI TIBFPLS506,TIBPSG507. The pins not connected are: 5,8,11,19.
PLCC	CNV-PLCC-PAL28C	28-pin PLCC socket. Supports ATMEL ATF22V10C,ATF22LV10C,ATF22V10CZ,ATF22LV10CZ.
PLCC	CNV-PLCC-PROM20A	20-pin PLCC socket. Supports AMD 27S18,27S19. NATIONAL 74S188,74S288. The pins not connected are: 1,6,11,16.
PLCC	CNV-PLCC-PROM28A	28-pin PLCC socket. 27S47/49/180/181/280/281/190/191/290/291. The pins not connected are:1,10,15,21.
PLCC	CNV-PLCC-W78E378	44-pin PLCC socket. Supports WINBOND W78E378P.

PLCC	CNV-PLCC-XC1736	20-pin PLCC socket. Supports 20-pin PLCC serial EEPROM. XILINK XC1736,XC1736A,XC1765,XC17128,XC1718D, XC1736D,XC1765D,XC1718L,XC1736L,XC1765L. The pins not connected are:1,3,5,7,9,11,12,13,15,16,18,19.
PLCC	CNV-PLCC-XC17V16	44-pin PLCC socket. Supports XILINX XC17V16,XC17V08.
PLCC	CNV-PLCC-XQ1701L	44-pin PLCC socket. Supports XILINX XQ1701L.
PLCC	CNV-PLCC-Z86D73	44-pin PLCC socket. Supports ZILOG Z86D73.
PLCC	CNV-PLCC-Z86E21	44-pin PLCC socket. Supports ZILOG Z86E21.
PLCC	CNV-PLCC-Z86E40	44-pin PLCC socket. Supports ZILOG Z86E40.
PLCC	CNV-PLCC-Z86E72	44-pin PLCC socket. Supports ZILOG Z86E72/73.
QFP	CNV-PQFP-TS52X2	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TEMIC TS87C52X2.(44-pin PQFP)
QFP	CNV-Q44-COP8SAX	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports NATIONAL COP8SAC7VEJ.(44-pin PQFP)
QFP	CNV-Q64-51RD2	64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TEMIC T89C51RD2.(64-pin TQFP)
QFP	CNV-QFP-16C64	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP PIC16C64,PIC16C65,PIC16C74.
QFP	CNV-QFP-17C42	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP PIC17C42/43/44.

QFP	CNV-QFP48-78E61	48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports WINBOND W78E512,W78E61.
QFP	CNV-QFP-68HC705	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MOTOROLA MC68HC705C8,MC68HC805C4. The pins not connected are:16,22,39,40.
QFP	CNV-QFP-87C42	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports INTEL 87C42.
QFP	CNV-QFP-90S4433	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ATMEL AT90S2333,AT90LS2333,AT90S4433,AT90LS4433.
QFP	CNV-QFP-90S8535	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ATMEL AT90S4434,AT90S8535.
QFP	CNV-QFP-AT17XXA	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ATMEL AT17LV002A.
QFP	CNV-QFP-EPC1441	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ALTERA EPC1441,EPC1064,EPC1064V.
QFP	CNV-QFP-MPU51B	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MPU 8751/89C51 series,SST 89E564. (except PHILIPS 87C550; SIEMENS C513A-2E; INTEL 87L51FA/FB/FC/52/54/58)
QFP	CNV-QFP-PCD3755A	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports PHILIPS PCD3755A.
QFP	CNV-QFP-W77E468	100-pin QFP(PITCH 0.65mm,14x20mm) socket. Supports WINBOND W77E468.
QFP	CNV-QFP-XC17XX	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supportss XILINX XC1702L,XC1704L.
QFP	CNV-QFP-Z86E21	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ZILOG Z86E21.

QFP	CNV-QFP-Z86E72	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ZILOG Z86E72.
SDIP	CNV-SDIP-77C82	42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports TI TMS77C82.
SDIP	CNV-SDIP-81608	42-pin SDIP(PITCH 1.778mm,600mil) socket. Supports HYNIX HMS81604T,HMS81608T.
SDIP	CNV-SDIP-DIP28	28-pin SDIP(PITCH 1.778mm,400mil) socket. Supports pin to pin,DIP-28 to SDIP-28.
SOJ	CNV-SOJ-RAM1MX4	26-pin SOJ(PITCH 1.27mm,7.6mm,live bug) socket. Supports 64Kx4 to 1Mx4 DRAM.
SOJ	CNV-SOJ-RAM4MX1	26-pin SOJ(PITCH 1.27mm,7.6mm,live bug) socket. Supports 1Mx1 to 4Mx1 DRAM.
SOP	CNV-MSOP-DIP8	8-pin SOP(PITCH 0.65mm,3mm) socket. Supports MICROCHIP 24XX series.(8-pin MSOP)
SOP	CNV-PSOP-DIP42	44-pin SOP(PITCH 1.27mm,13.6mm) socket. Supports MXIC 27C8100.(44-pin PSOP)
SOP	CNV-QSOP-DIP28	28-pin SOP(PITCH 0.635mm,3.94mm) socket. Supports CYPRESS PALCE16V8/L.(28-pin QSOP)
SOP	CNV-QSOP-DIP28A	28-pin SOP(PITCH 0.635mm,3.94mm) socket. Supports HOLTEK HT46R22.(28-pin QSOP)
SOP	CNV-SOP-AT17CXX	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports ATMEL AT17C65,AT17C128,AT17C256.
SOP	CNV-SOP-AT25HP512	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports ATMEL AT25HP512.(16-pin SOP)
SOP	CNV-SOP-DIP28A	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports pin to pin,DIP-28 to SOP-28.
SOP	CNV-SOP-DIP28B	28-pin SOP(PITCH 1.27mm,9mm) socket. Supports TOSHIBA TC54512AF.

SOP	CNV-SOP-DIP40	40-pin SOP(PITCH 1.27mm,11.4mm) socket. Supports MXIC MX27C4100.
SOP	CNV-SOP-EP1M32	32-pin SOP(PITCH 1.27mm,11.6mm) socket. Supports all 32-pin SOP EPROM and EEPROM,from 1MB up.
SOP	CNV-SOP-EP512	28-pin SOP(PITCH 1.27mm,8.45mm) socket. Supports 28-pin SOP EPROM from 2764 to 27512.
SOP	CNV-SOP-FS6370	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports AMI FS6370-01.
SOP	CNV-SOP-NDIP16	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports 8-pin SOP(150 mil) serial EEPROM.
SOP	CNV-SOP-NDIP16A	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports 14-pin SOP(150 mil) serial EEPROM.
SOP	CNV-SOP-NDIP16B	24-pin SOP(PITCH 1.27mm,5.5mm) socket. Supports MICROCHIP 24C65.
SOP	CNV-SOP-NDIP16C	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports ATMEL AT93C46/56/57/66(REVERSE).
SOP	CNV-SOP-NDIP16D	24-pin SOP(PITCH 1.27mm,5.5mm) socket. Supports 8-pin SOP(209 mil) serial EEPROM(REVERSE).
SOP	CNV-SOP-NDIP16E	16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports pin to pin,DIP-16 to SOP-16.
SOP	CNV-SOP-PIC16C5X	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56, PIC16C57,PIC16C58,PIC16C71,PIC16C84/LC84.
SOP	CNV-SOP-XC17XX	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports ATMEL XILINX XC1701,XC1701/L,XC17512L.
SOP	CNV-SSOP-87C5111	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports ATMEL AT87C5111.(24-pin SSOP)

SOP	CNV-SSOP-DIP30	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports pin to pin,DIP-30 to SSOP-30.
SOP	CNV-SSOP-DIP30A	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports pin to pin,DIP-30 to SSOP-30.
SOP	CNV-SSOP-PIC16	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56, PIC16C57,PIC16C58A.(28-pin SSOP)
SOP	CNV-SSOP-Z86E08	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports ZILOG Z86E02 1925,Z86E08 186X.(20-pin SSOP)
SOP	CNV-TSOP-27C520	28-pin SOP(PITCH 0.55mm,11.8mm) socket. Supports ATMEL AT27C520,AT27LV520.(28-pin TSOP)
SOP	CNV-TSOP-2804	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ATMEL AT28C04.(32-pin TSOP)
SOP	CNV-TSOP-29F002	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ALLIANCE AS29F002.(40-pin TSOP)
SOP	CNV-TSOP-31LF041	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports SST 31LF041.(40-pin TSOP)
SOP	CNV-TSOP-58C257	32-pin SOP(PITCH 0.5mm,12mm) socket. Supports HITACHI 58C257.(32-pin TSOP)
SOP	CNV-TSOP-CAT2864	32-pin SOP(PITCH 0.5mm,12mm) socket. Supports CATALYST EEPROM 2864.(32-pin TSOP)
SOP	CNV-TSOP-DIP16	16-pin SOP(PITCH 1.27mm,4.5mm) socket. Supports DALLAS DS2502.(8-pin TSOP)
SOP	CNV-TSOP-DIP40	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports pin to pin,DIP-40 to TSOP-40.
SOP	CNV-TSOP-DIP40A	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports INTEL 28F008SA.(40-pin TSOP)

SOP	CNV-TSOP-EP1M32	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports all 32-pin TSOP EEPROM from 1MB up. AMD 29F010,29F040; CATALYST 28F010; HITACHI 28F010,29C101,28F4001; MITSUBISHI M5M28F101VP/RV.
SOP	CNV-TSOP-EP1M32A	32-pin SOP(PITCH 0.5mm,12mm) socket. Supports HITACHI 58C1000/1001.(32-pin TSOP)
SOP	CNV-TSOP-EP1M32R	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports EEPROM 1Mbits.(byte wide reverse)(32-pin TSOP)
SOP	CNV-TSOP-EP1M40	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ATMEL 27C040.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40A	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ATMEL 27C1024,27C4096.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40B	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports NEC 27C2001.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40C	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports SST 28SF040.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40F	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports SST 28SF040(REVERSE).40-pin TSOP)
SOP	CNV-TSOP-EP1M40G	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports ATMEL 27C1024.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40H	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports WINBOND W29C101.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40I	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports WINBOND W29C102.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40J	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports STM M29W102BB/BT.(40-pin TSOP)

SOP	CNV-TSOP-EP1M48	56-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports ATMEL AT29C1024.(56-pin TSOP)
SOP	CNV-TSOP-EP512	28-pin SOP(PITCH 0.55mm,11.8mm) socket. Supports ATMEL 28C16-T,28C64,28C64B,28C256, 29C256,27C256R,27C512R; MITSUBISHI 28C64A; STM M27C256B,M27C512,M27V512.(28-pin TSOP)
SOP	CNV-TSOP-EP512A	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports NATIONAL 27256/512.(32-pin TSOP)
SOP	CNV-TSOP-EP512C	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports CYPRESS 27C256.(32-pin TSOP)
SOP	CNV-TSOP-TI512	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports TI 27PC512.(32-pin TSOP)
SOP	CNV-TSS56-COP8X9	56-pin SOP(PITCH 0.5mm,6.1mm) socket. Supports NATIONAL COP8CB/CC/CDR9,COP8SB/SC/SDR9. (56-pin TSSOP)
SOP	CNV-TSSOP-27C520	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports ATMEL AT27C520,AT27LV520.(20-pin TSSOP)
SOP	CNV-TSSOP-8XC5XX2	38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports PHILIPS 87C54X2.(38-pin TSSOP)
SOP	CNV-TSSOP-AT25XX	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports ATMEL AT25128,AT25256.(20-pin TSSOP)
SOP	CNV-TSSOP-DIP16	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports pin to pin,DIP-16 to TSSOP-16.
SOP	CNV-TSSOP-DIP20	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports pin to pin,DIP-20 to TSSOP-20.
SOP	CNV-TSSOP-DIP24	24-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports ATMEL ATF16V8B/BQ/BL/BQL, ATF22V10B/BQ/BL/BQL.(24-pin TSSOP)

SOP	CNV-TSSOP-DIP28	28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports pin to pin,DIP-28 to TSSOP-28.
SOP	CNV-TSSOP-DIP8	8-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports SEIKO S24CS02A.(8-pin TSSOP)
SOP	CNV-TSSOP-DIP8A	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports XICOR X25057.(8-pin TSSOP)
SOP	CNV-TSSOP-X25330	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports XICOR X25330.(14-pin TSSOP)
QFN(MLF)	CNV-LLP44-COP8X9	44-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 2,10 on 2) socket. Supports NATIONAL COP8CB/CC/CDR9,COP8SB/SC/SDR9. (44-pin LLP)
QFN(MLF)	CNV-MLF-ATTINY26	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4) socket. Supports ATMEL ATTINY26,ATTINY26L.(32-pin MLF)
QFN(MLF)	CNV-MLF-ATTINY28	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4) socket. Supports ATMEL ATTINY28,ATMEGA8L.(32-pin MLF)
QFN(MLF)	CNV-MLF-MEGA162	44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA162.(44-pin MLF)
QFN(MLF)	CNV-MLF-MEGA8535	44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA8535.(44-pin MLF)